
Subject Index

Page numbers in *italics*
refer to glossary entries.

_____ Misc.

0-level agent, 275, 292
1-level agent, 276, 292
2-level agent, 276, 292
8-puzzle, 165, 180
8-queens, 165, 168

_____ A

AAIS, 302, 303, 311, *583*
AARIA, 393, 412
ABS, 410, 413
ADE, 411
abstract architectures for agents, 36
accessible environments, 30, *583*
AC4 algorithm, 563
ACDS, 388
ACE learning algorithm, 270
ACL, *583*
ACT, 150, *583*
ACTION, 302, 303, 304, 307, 311,
312, *583*
active objects, 35
Actor, 505, 508, 510, 513, *583*
Actor configuration, 510
Actor Foundry, 532
ActorSpace, 530, *583*
adaptation, *583*
see also learning
ADE, 411
ADEPT, 397

ADS, 396
AGE learning algorithm, 271
agent, 2, 27, 83, 506, *583*
see also 0-level agent,
1-level agent, 2-level agent,
agent architecture,
agent network architecture,
BDI agents,
characteristic behavior of agents,
evolution of agents,
industrial aspects,
information agents,
interface agents,
logic-based agents,
purely reactive agents,
self-interested agents,
software agents
Agent0 programming language, 67, *584*
agent architecture, 30, *584*
see also abstract architectures for
agents, BDI architecture,
blackboard architecture,
concrete architectures for agents,
horizontal layered agent architectures,
objects, reactive architecture,
vertical layered agent architectures
agent network architecture, 54
agent oriented programming, 67, 532, *584*
agent programming languages, 66
agent skeletons, 357
agent societies, 111
agent technology standards, 408
AGENTSPEAK(L) programming
language, 70
AgentTcl, 533
Aglet, 411
all-pay auction, 213, *584*
alpha-beta pruning, 193
AMROSE, 396
anonymous network, 540
anytime algorithm, 235

- applications for multiagent systems, 6, 377
 - see also* multiagent block pushing, multiagent package delivery, Distributed Delivery, distributed meeting scheduling, distributed sensor network establishment, distributed vehicle monitoring, Mars explorer scenario, multiagent foraging, Tower of Hanoi, vacuum cleaning world application
 - appointment scheduler, 437
 - APRIL programming language, 70
 - acquaintance models, 470, 484, 493
 - arc consistency, 562
 - Archon, 367, 396
 - Arrow's impossibility theorem, 205, 584
 - Artificial Intelligence (AI), 4
 - ARTIMIS, 366
 - asynchronous backtracking, 173
 - asynchronous communication, 541
 - asynchronous dynamic programming, 181
 - asynchronous search, 167
 - asynchronous search algorithm, 584
 - asynchronous weak-commitment search, 176
 - attributes for multiagent systems, 3
 - auction, 211, 584
 - see also* all-pay auction, correlated values auction, common values auction, descending auction, Dutch auction, English auction, first-price open-cry auction, first-price sealed-bid auction, private values auction, second-price sealed-bid auction, Vickrey auction
 - autonomy, 2, 29, 387, 584
 - Awerbuch's depth-first search, 546
 - axiomatic bargaining, 220, 584
- **B**
- background concepts of logic, 332
 - backtracking, 568
 - bargaining, 220, 585
 - see also* axiomatic bargaining, strategic bargaining
 - BDI agents, 585
 - BDI architecture, 54, 349, 585
 - BDI concepts, 342, 585
 - BDI interpreter, 350, 351, 354
 - behavior language, 585
 - behavior-based layer, 65
 - behavioral equivalence, 38
 - belief, 43, 343, 352, 585
 - belief maintenance, 107
 - belief network, 540
 - Belief-Desire-Intention [...], *see* BDI [...]
 - benevolence, 585
 - binary protocol, 205, 585
 - blackboard, 585
 - blackboard architecture, 132, 585
 - blackboard system, 103
 - block pushing, 293, 585
 - body, 585
 - Borda protocol, 206, 585
 - bounded rationality, 304
 - bringing-it-about, 348
 - broadcast/convergecast, 573, 586
 - bottom-up activation, 65
 - bottom-up route, 5
- **C**
- calculative rationality, 47
 - Carnot, 367
 - case grammar, 402
 - case theory, 586
 - case-based reasoning, 283
 - categories of multiagent learning, 261
 - centralized intelligence, 539
 - centralized learning, 261
 - centralized planning, 139
 - CFG, *see* Characteristic Function Game
 - challenging issues for multiagent systems, 5
 - characteristic behaviour of agents, 37
 - Characteristic Function Game (CFG), 586
 - characteristics of multiagent systems, 3
 - Chautauqua, 442

- classification, 464, 482, 485, 492, 494, 498
 - classifier systems, 267
 - cluster (C) contract, 235, 586
 - coalition, 586
 - coalition formation, 241, 586
 - coalition structure generation, 242, 586
 - coalition-proof Nash equilibrium, 241
 - COALITION-STRUCTURE-SEARCH, 245, 586
 - cognitive concepts, 342, 348, 349, 586
 - cognitive primitives, 342, 586
 - coherence, 84, 586
 - collaboration, 427, 586
 - collaborative learning, 291
 - collaborative technology, *see* groupware
 - commitments, 97, 587
 - see also* psychological commitments, social commitments
 - common knowledge, 251, 332, 587
 - Common Object Request Broker Architecture (CORBA), 9, 408, 587
 - common values auction, 211, 587
 - communication, 360, 587
 - see also* asynchronous communication, learning and communication
 - communication complexity, 541, 543, 587
 - communication model, 435
 - communication protocol, 86
 - communityware, 587
 - competence, 121, 587
 - competition, 2, 587
 - complexity of theorem proving, 47
 - Computer Supported Cooperative Work (CSCW), 427, 443, 587
 - computational economics, 110, 587
 - computational linguistics, 360
 - Computational Organization Theory (COT), 299, 302, 307, 319, 323, 587
 - concrete architectures for agents, 42
 - Concordia, 588
 - Concurrent METATEM, 67, 365, 588
 - concurrent programming, 505
 - conference model, 435
 - CONGOLOG system, 48, 365
 - connection problem, 101, 588
 - connectivity certificate, 552
 - consistency algorithm, 172
 - consistent snapshot, 560
 - constraint propagation, 387, 588
 - constraint satisfaction problem, 165, 168, 562, 568, 588
 - see also* Distributed Constrained Heuristic Search, Distributed Constrained Satisfaction Problem
 - content language, 150, 588
 - contingency contract, 239, 588
 - contingency planning, 151
 - continuation, 509
 - continuous environments, 31
 - contract, 235, 236, 239, 240
 - contract net, 233
 - contract net protocol, 100, 127, 588
 - control, *see* one pass control, two pass control
 - conventions, 97, 588
 - conversation, 588
 - COOL, 413, 532
 - cooperation, 2, 33, 83, 99, 113, 588
 - cooperative planning, 140, 588
 - cooperative planning layer, 65
 - cooperative protocol, 589
 - cooperative state-changing rules, 153, 589
 - coordination, 2, 83, 97, 356, 357, 358, 359, 526, 527, 589
 - coordination model, 433
 - coordination problem, 466, 493, 496
 - coordinator, 431, 436
 - CORBA, *see* Common Object Request Broker Architecture
 - core, 249, 589
 - CORP, 302, 303, 307, 310, 311, 314, 589
 - correlated values auction, 211, 589
 - COSY, 365
 - COT, *see* Computational Organization Theory
 - credit-assignment problem, 264, 589
 - CSCW, *see* Computer Supported Cooperative Work
 - CSP, *see* Constraint Satisfaction Problem
 - cultural transmission, 302, 303, 589
- _____ D
- DAI, *see* Distributed Artificial Intelligence
 - DAI system, 4

DARES, 137, 589
 database, 43
 DCHS, *see* Distributed Constrained Heuristic Search
 DCSP, *see* Distributed Constrained Satisfaction Problem
 DD, *see* Distributed Delivery
 decentralized learning, 261
 decision making (distributed, rational), 590
 decision making as theorem proving, 42
 decision support, 459, 461, 472, 488
 decision support system (DSS), 590
 deduction rules, 43
 deliberative, 55, 590
 deliberative architecture, 590
 deontic logic, 336
 DEPNET, 366
 descending auction, 212, 590
 design-to-time algorithm, 247, 590
 DESIRE, 368, 406
 desires, 343, 590
 deterministic environments, 30, 590
 development tools (for agent-based systems), 410
 DFG learning algorithm, 270
 dfs property (of a rooted spanning tree), 548
 diagnosis, 475, 480, 485, 487, 494
 dialogue, 590
 discrete environments, 31, 590
 dissipative field, 387, 590
 distraction, 132, 590
 Distributed Artificial Intelligence (DAI), 1, 4, 591
 distributed breath-first search, 550
 distributed computation, 539
 Distributed Constrained Heuristic Search (DCHS), 133, 144, 591
 Distributed Constrained Satisfaction Problem (DCSP), 591
 see also constraint satisfaction
 Distributed Delivery (DD), 123, 591
 see also multiagent package delivery
 distributed depth-first search, 544
 distributed hierarchical planning, 145, 591
 distributed meeting scheduling, 138, 591
 distributed planning, 139
 distributed problem solving system, 4

Distributed Sensor Network Establishment (DSNE), 123, 591
 Distributed Vehicle Monitoring (DVM), 123, 591
 dMars, 57, 365, 412
 d-Muse, 413
 dominant strategy, 203, 591
 Dooley graph, 406
 DOOM, 453
 DSNE, *see* distributed sensor network establishment
 DSS, *see* decision support system
 Dutch auction, 212
 DVM, *see* Distributed Vehicle Monitoring
 dynamic environments, 30
 dynamic logic, 337, 591

_____ E

echo algorithm, 551, 591
 economic rationality, 106, 111
 EDI, *see* Electronic Data Exchange
 effectoric capability, 30
 election, 540
 electronic commerce, 201
 Electronic Data Exchange (EDI), 380, 591
 emergency management, 478
 emergent behavior, 48
 encapsulation, 34
 energy management, 478
 English auction, 212
 ensemble, 518, 522, 592
 environments, 3, 29, 81, 592
 episodic environments, 30, 592
 equilibrium, *see* general equilibrium, Nash equilibrium
 equivalence, 511
 ESPRIT, 592
 evolution of agents, 54
 execution context, 522
 expert systems, 36
 explanation based learning, 280

_____ F

FA/C, *see* Functionally Accurate Cooperation

favor relations, 149, 592
 feedback, 263, 592
 filtered search, 509, 514
 filtering algorithm, 172
 FIPA, 9, 408, 592
 first-price open-cry (English) auction, 212, 592
 first-price sealed-bid auction, 212, 592
 flexible, 2
 flexible autonomous action, 32
 focal points, 157, 592
 functional systems, 32
 Functionally Accurate Cooperation (FA/C), 131, 592

—— G

game tree, 191
 garbage can, 302, 303, 307, 308, 318, 592
 general equilibrium, 224, 592
 Gibbard-Satterthwaite impossibility theorem, 208, 592
 Global Currency Unit (GCU), 519
 GM paint shop, 396
 goal activation, 66
 goal graph, 97
 goals, 343, 352, 593
 GOLOG, 365
 gradient field, 51
 Grafcet, 593
 graph exploration, 544
 group, 593
 group agents, 436
 group critic, 437
 group decision support systems, 425
 group intentions, 363, 593
 group know-how, 363
 groupware, 426, 448, 593
 groupware taxonomy, 447
 GROVE, 430
 Groves-Clarke tax mechanism, 208

—— H

head, 593
 heterarchy, 387, 593

hierarchical behavior-space search, 145, 593
 hierarchy, 387, 593
 histories, 37
 HITOP-A, 302, 303, 307, 311, 593
 horizontal layered agent architectures, 61
 host, 507, 514, 517, 522, 593
 hybrid approaches to BDI concepts, 593
 hyper-resolution, 172
 hypothesis generation, 568

—— I

IBIS, 430, 593
 illocution, 593
 inaccessible environments, 30
 indistinguishable states, 39
 individual knowledge, 469
 individual rationality, 203, 234
 industrial aspects of agent technology, 377
 inductive learning, 291
 industrial life cycle, 381
 information agents, 593
 InfoSleuth, 531
 inherent distribution, 7
 inherent complexity, 7
 inhibition relation, 49
 insincere voting, 207, 594
 intelligent, 2
 intention reconsideration, 55
 intention stack, 60
 intentions, 55, 594
 see also joint intentions,
 group intentions
 interaction, 2, 594
 interaction analysis, 143, 594
 interaction protocol, 96, 526, 594
 inter-agent credit-assignment problem, 264, 594
 interface agents, 594
 internal state, 594
 internet, 448, 594
 INTERRAP, 63, 594
 intra-agent credit-assignment problem, 264, 594
 introspection, 594
 IRMA, 61, 594

ISCM, 392, 393

issue-based information system, 595

— J

JAAPI, 411, 595

Java programming language, 34, 532, 533

job shop, 381, 595

joint action, 98

joint intentions, 362

— K

k-consistency, 172

KEE, 413

keepers, 429

KIF, *see* Knowledge Interchange Format

know-how, 346, 595

see also group know-how

knowledge, 309, 343, 595,

see also common knowledge,

individual knowledge,

logically consistent knowledge base,

neighborhood knowledge,

social knowledge,

well-founded knowledge base

Knowledge Interchange Format (KIF),

89, 92, 409, 595

knowledge level, 595

Knowledge Query and Manipulation

Language (KQML), 88, 128, 532, 595

Knowledge Sharing Effort (KSE), 9, 595

knowledge theory, 41

knowledge-based system, 462, 463, 481

KnowledgeCraft, 413

KQML, *see* Knowledge Query and

Manipulation Language

KSE, *see* Knowledge Sharing Effort

— L

layer, *see* behavior-based layer,

cooperative planning layer,

horizontal layered agent architectures,

layered architectures,

local planning layer,

vertical layered agent architectures

layered architecture, 595

learning, 259, 596

see also credit-assignment problem,

inductive learning,

inter-agent credit-assignment problem,

intra-agent credit-assignment problem,

multiagent learning,

multistrategy learning,

organizational adaptation,

Q-learning,

reinforcement learning

learning and communication, 281

learning feedback, 263, 592

learning real-time A*, 184

legacy system, 596

leveled commitment contract, 240, 596

lexically minimal simple path, 549

life cycle (industrial), 381, 596

link, 540

linkages (in an organization), 304, 310,
596

limited rationality, 167

LMS, 393

local connectivity, 552

local planning layer, 65

locution, 596

logic, 596

see also background concepts,

deontic logic, dynamic logic,

modal logic, predicate logic,

propositional logic, temporal logic

logic-based agents, 42

logical deductions, 42

logical omniscience, 348

logically consistent knowledge base, 107

loop cutset, 570

Lotus notes, 452

lying auctioneer, 215

— M

MACE, 320, 321, 531, 596

maDes, 367

management, *see* emergency

management, energy management,

traffic management, workflow

management system

manufacturing resource planning

(MRP), 597

market environments (learning in), 275

- market mechanisms, 100, 109, 224
 - Mars explorer scenario, 51
 - MAS, *see* Multiagent System
 - MBone, 446
 - means-ends reasoning, 55
 - mental attitude, 596
 - merging algorithm, 245, 596
 - message, 505, 508, 510, 596
 - message types, 85
 - message-passing, 505, 508, 513, 541, 596
 - meta-level organization, 154, 596
 - Metra scheduling system, 392
 - macro level, 5
 - micro level, 5
 - micro-macro problem, 5
 - migration, 506, 513, 514, 515, 517, 597
 - minimax procedure, 192
 - mobility, 506, 513, 514, 516, 597
 - modal approaches to the BDI concepts, 597
 - modal logic, 335, 597
 - model checking, 349
 - moving target search, 185
 - MRP, *see* manufacturing resource planning
 - multiagent block pushing, 293, 585
 - multiagent contract, 235, 597
 - multiagent environments, *see* environments
 - multiagent foraging, 293, 597
 - multiagent learning, 259, 260, 597
 - see also* ACE learning algorithm,
 - AGE learning algorithm,
 - categories of multiagent learning,
 - centralized learning,
 - collaborative learning,
 - decentralized learning,
 - DFG learning algorithm,
 - explanation based learning,
 - learning and communication,
 - market environments (learning in),
 - opponent modeling,
 - organizational learning,
 - organizational role (learning of),
 - team learning (theory of)
 - multiagent package delivery, 116, 294
 - see also* Distributed Delivery
 - multiagent planning, 100
 - Multiagent Soar, 312, 322, 597
 - Multiagent Systems (MASs), 1, 2, 79, 201, 506, 597
 - see also* applications for multiagent systems, attributes of multiagent systems, challenging issues for multiagent systems, characteristics of multiagent systems
 - multiaspect groupware, 442
 - multiprocessor computers, 543
 - multi-stage negotiation, 597
 - multistrategy learning, 291
 - murmuring, 138, 597
 - MUSE, 413
 - mutual belief, 362, 597
 - mutual selection, 130, 597
 - MYCIN, 36
- _____ N
- naming, 530
 - Nash bargaining solution, 220, 597
 - Nash equilibrium, 203, 597
 - see also* coalition-proof Nash equilibrium, strong Nash equilibrium, subgame perfect Nash equilibrium
 - negotiated search, 133, 141, 598
 - negotiation, 104, 598
 - neighbor, 540
 - neighborhood knowledge, 540
 - network (organizational), 304, 310, 598
 - networked intelligence, 539
 - Newtonian price tâtonnement algorithm, 228, 598
 - NII, 598
 - NIIP, 408, 598
 - NOAH, 145
 - node, 540
 - nogood, 172
 - non-deterministic environments, 30
 - non-episodic environments, 30
- _____ O
- observation-based plan coordination, 157, 598
 - Object Management Group (OMG), 533
 - object-oriented programming, 34
 - objects, 34

- OCSM-contract, 236, 598
 Odyssey, 598
 OEM, 598
 OMG, *see* Object Management Group
 one pass control, 62
 ontolingua, 598
 ontology, 94, 361, 598
 ontology sharing problem, 599
 open system, 599
 opponent modeling, 278, 279, 292
 ORGAHEAD, 302, 303, 317, 318, 599
 organization, 100, 599
 organizational adaptation, 304, 599
 organizational concepts, 306
 organizational consultant, 303, 311, 599
 organizational design, 299, 306, 310, 599
 organizational intelligence, 304
 organizational learning, 291
 organizational role (learning of), 272, 273
 organizational structure, 135, 310, 362, 599
 original (O) contract, 235, 599
 OSI, 599
- **P**
- PACT, 388, 599
 PARC thermal market, 397
 Pareto efficiency, 202, 599
 parallel search for insincere agents, 247, 600
 partial global planning (PGP), 153, 600
 partial order planner, 139, 600
 partitioning (for multiprocessor computers), 568
 path-finding problem, 165, 179, 600
 PENGI system, 54
 perception, 38
 performative, 87
 perlocution, 600
 personal assistant, 600
 Petri net, 600
 PGP, *see* partial global planning
 PID control loop, 395
 PIM, 407
 PLACA programming language, 70, 365
 plan combination search, 144, 600
 plan elaboration, 64
 plan merging, 142, 600
 plan schemas, 64
 plan synchronization, 143, 600
 planning, 66, 600,
 see also centralized planning,
 contingency planning,
 cooperative planning,
 distributed hierarchical planning,
 distributed planning,
 observation-based plan coordination,
 partial global planning,
 partial order planner,
 reusable plan, team plan
 planning layer, 64
 Plural-Soar, 303, 310, 314, 316, 600
 plurality protocol, 205, 601
 pragmatics, 84, 601
 PREP, 429
 pre-conditions, 32
 predicate logic, 335, 601
 prediction, 464, 492
 price-taking assumption, 229, 601
 private values auction, 211, 601
 price tâtonnement algorithm, 227, 601
 see also Newtonian price tâtonnement
 algorithm
 principle of optimality, 181
 Prisoner's dilemma, 204
 pro-active, 32, 601
 probe algorithms, 560
 problem solving, 121, 601
 problem solving method, 463
 procedural knowledge, 47
 procedural reasoning system, 352, 365
 programming, *see* agent
 oriented programming,
 agent programming languages,
 Agent0, AGENTSPEAK(L), APRIL,
 asynchronous dynamic programming,
 Concurrent METATEM,
 object-oriented programming,
 teleo reactive programming,
 TELESCRIPT, Java, PLACA
 propositional logic, 334, 601
 protocol, 150, 201, 601
 see also binary protocol,
 Borda protocol,
 communication protocol,
 contract net protocol,
 cooperative protocol,
 interaction protocol,
 plurality protocol

PRS, *see* procedural reasoning system
 psychological commitments, 345, 601
 purely reactive agents, 38
 purely reactive environments, 33

Q

Q-learning, 267
 QUAKE, 453
 quantity-based algorithms, 228, 601
 QuestMap, 430, 601

R

RAPPID, 388
 rate of world change, 57
 rational, 2, 602
 see also calculative rationality
 economic rationality,
 individual rationality,
 limited rationality
 reactive, 32, 602
 reactive action packages, 54
 reactive architecture, 48, 602
 reactive layer, 63
 real-time A*, 184
 real-time bidirectional search, 187
 real-time multiagent search, 190
 real-time search, 224
 reflection, 507, 523
 relaxation algorithm, 549
 reinforcement learning, 266, 268,
 270, 291
 remote creation, 515, 516, 602
 replication, 524
 resource distribution, 544
 resources, 507, 517, 520, 602
 result sharing, 131, 602
 result synthesis, 124, 602
 reusable plan, 152
 revelation principle, 207, 602
 revenue equivalence, 214, 602
 role, 602
 role-playing, 404
 Rubinstein bargaining model, 221, 602

S

scheduling, 66
 SDML, *see* strictly declarative modeling
 language
 search, 165, 602
 see also alpha-beta pruning,
 asynchronous backtracking,
 asynchronous search,
 asynchronous search algorithm,
 asynchronous weak-commitment search,
 Awerbuch's depth-first search,
 COALITION-STRUCTURE-SEARCH,
 constraint satisfaction problem,
 distributed breadth-first search,
 distributed constrained heuristic search,
 distributed depth-first search,
 filtered search,
 hierarchical behavior-space search,
 learning real-time A*,
 minimax procedure,
 moving target search,
 negotiated search,
 parallel search for insincere agents,
 plan combination search,
 real-time A*,
 real-time bidirectional search,
 real-time-multiagent search
 second-price sealed-bid (Vickrey) auction,
 212, 603
 seeing-it-to-that, 348
 self-interested agents, 112
 semantics, 84, 360, 603
 sentential approaches to BDI
 concepts, 603
 Shapley value, 250, 603
 simulation, 402
 sincere voting, 205, 603
 situated automata, 54
 situatedness, 603
 situation recognition, 66
 situation-action rules, 49
 SLOWH mechanisms, 391
 Soar, 603
 see also Multiagent Soar,
 Plural-Soar, TAC Air Soar
 social ability, 32, 603
 social choice, 205
 social commitments, 113, 363, 603
 social concepts, 603

- social convention, 98
- social dependence, 113
- social knowledge, 470
- social laws, 152, 603
- social level, 603
- social primitives, 362, 603
- social welfare, 202, 235
- software agents, 603
- software assistant, 603
- Softbot, 603
- Space Shuttle, 365
- space-time diagram, 541, 560, 603
- Spawn, 604
- speculation in markets, 229
- speech act, 87, 106, 360, 604
- speech act theory, 604
- sparse certificate, 553
- splitting algorithm, 246, 604
- stability, 203, 247
- static environments, 604
- STEAM, 366
- storage complexity, 542
- strategic bargaining, 221, 604
- strategic voting, 207
- strategy, 201, 604
 - see also* dominant strategy
- strictly declarative modeling
 - language, 321, 602
- STRIPS operator, 142, 604
- strong Nash equilibrium, 241, 604
- subgame perfect Nash equilibrium, 203
- subsumption architecture, 49, 604
- subsumption hierarchy, 49
- Sugarscape, 303, 604
- supply chain, 379
- swap (S) contract, 235
- SWARM, 322, 323, 604
- symbolic representation, 42
- synchronization, 604
- synchronizer, 527
- syntax, 84, 604

_____ T

- TAC Air Soar, 303, 310, 312, 605
- TAEMS, 138, 303, 316, 605
- task, 463
- task accomplishment, 124, 605

- task allocation, 124, 605
- task decomposition, 99, 124, 141, 605
- task distribution, 99
- task sharing, 124, 605
- team, 362, 605
- team learning (theory of), 291
- team plan, 152, 605
- teleo reactive programs, 54
- TELESCRIPT, 70, 533, 605
- temporal logic, 69, 338, 605
- termination detection, 556, 567, 605
- TFM-CAA, 366
- theorem proving, *see* complexity of
 - theorem proving, decision making as
 - theorem proving, deduction rules,
 - model checking
- tic-tac-toe, 191
- TMS, *see* truth-maintenance system
- ToH, *see* Tower of Hanoi
- top-down execution, 65
- top-down route, 5
- TOP-MODELER, 605
- TOURINGMACHINES, 63, 605
- Tower of Hanoi, 122, 605
- tracing algorithms, 557
- TRACONET, 237, 605
- traffic management, 488
- transfer line, 395
- truthful voting, 205
- truth-maintenance system (TMS), 107
- two pass control, 62
- two-player game, 165, 191, 606

_____ U

- unified negotiation protocol, 106
- UNITY_{agent}, 412
- universal plans, 54
- user agents, 438
- user interface agents, 484, 487

_____ V

- vacuum cleaning world application,
 - 45, 294, 606
- VDT, *see* Virtual Design Team
- veracity, 606

vertical layered agent architectures, 61
Vickrey auction, 212
video conference tools, 434, 435
Virtual Design Team (VDT), 302, 303, 307,
310,
311, 314, 315, 606
virtual enterprise, 379
voting, 204, 606
 see also sincere voting, truthful voting,
 insincere voting, strategic voting
Voyager, 411, 606

_____ W

Walras, 225, 228, 231, 233, 606
Watchdog, 606
well-founded knowledge base, 107
whiteboard, 441, 606
Windows, 407
workflow systems, 425, 432
workflow management system, 606
wrapper, 606
WWW, 446, 449, 532, 606
W3C, 606

_____ X, Y, Z

Z specification language, 368
Zone logic, 396