

Subject Index

- ℳ-optimality, 573
- k*-optimality, 571
- k*-size optimality, 571
- n*-armed bandit, 430
- t*-distance optimality, 573
- 3APL, 781
- 3T architecture, 42

- A-DPOP, 564
- AAII, 698, 699
- ability, 768
 - logic of, 786
 - strategic, 785
- acceptance testing, 729
- achievement goal, 598
- action, 286–289, 293, 307, 700, 766, 812, 813
 - knowledge-producing, 767, 768
 - ontic, 768
- action logic, 667
- action profile, 287, 288, 293, 812, 813
- active object, 12
- activity rule, 316
- actuator, 6
- adaptation
 - organizational, 86
- additive valuation function, 254
- ADELFE, 736
- ADEM, 698, 699
- ADOPT, 555
- agent, 103, 219
 - autonomic agent, 103
 - autonomy, 103
 - BDI, 14
 - belief-desire-intention, 14
 - heterogeneity, 103
 - incentives, 427
 - intelligent agent, 103
 - layered, 14
 - logic-based, 13
 - reactive, 13, 20
 - reward, 427
 - situated, 20
- agent architecture, 6, 13
- agent implementation
 - logic programming, 666
- agent program, 665
- agent specification, *see* agent, *see* formal specification, *see* temporal specification
 - dynamic epistemic logic, 654
 - KARO, 653
- Agent UML, 698
- agent verification
 - AJPF, 679
 - heterogeneous, 678
 - MCAPL, 679
 - rewriting, 675
- agent-based software engineering, 696
- agent-oriented software engineering, 696
- AGENT0, 781
- AGENTFACTORY, 602

- agents-entities-relation, 620
- AgentSpeak, 35
- AgentSpeak(L), 732
- AGENTSPEAK(L), 781
- agentTool III, 727
- agreement technology, 407
- AIL semantic toolkit, 677, 678
- air traffic control, 460
- AJPF, 677
- algorithmic verification, 660
 - agents, 667
 - model checking, *see* model checking
- alignment, 428
- alternating offers protocol, 151
- alternating temporal logic, 646, 650
 - semantics, 650
- alternating transition system, 792
- alternating-time temporal logic, *see* logic, ATL
- alternative, 220
- AML, 699
- anonymity (axiom), 227
- answer set programming, 605
- ant
 - colony optimization, 453
 - inspired algorithms, 453
 - system, 453
- anti-plurality rule, 228
- anytime algorithm, 356, 359
- AOSE, 696
- 3APL, 665
- 2APL, 602, 665
- application
 - social choice theory, 217
- approval voting, 228
- architecture, 101
 - component, 101
 - connector, 101
- ARCHON, 13
- argument
 - admissible, 182
 - graph, 181
 - labeling, 183
- argumentation, 168, 177
 - trust and reputation, 408
- argumentation mechanism design, 196
- argumentation protocol, 185
- argumentation scheme, 180
- Arrow's theorem, 222, 224
- artifact, 613
- asynchronous distributed optimization, 555
- ATL, *see* alternating temporal logic formulae, 650
- ATL, *see* logic
- ATL*, *see* alternating temporal logic
- attitude, 764
- auction, 304
 - combinatorial, *see* combinatorial auction
 - Dutch, *see* Dutch auction
 - elimination, *see* elimination auction
 - English, *see* English auction
 - first-price, *see* first-price auction
 - generalized first-price, *see* generalized first-price auction
 - generalized second-price, *see* generalized second-price auction
 - Japanese, *see* Japanese auction
 - k*th-price, *see* *k*th-price auction
 - position, *see* position auction
 - sealed-bid, *see* sealed-bid auction
 - second-price, *see* second-price auction
 - simultaneous ascending, *see* simultaneous ascending auction

- single-good, 304
- Vickrey, *see* second-price auction
- auction theory, 285, 304–320
- AUML, 698, 712, 717
- autonomic computing, xxxvi
- autonomous, 700
- autonomous action, 4
- autonomous agent, 3
- autonomy, 124
 - and regulation, 60
- axiomatic approach, 147
- axiomatic verification, 782

- back-edge, 563
- backward induction, 153, 834–836
- ballot-stuffing, 406
- Banks set, 226
- Barcan formula, 772
- bargaining, 147
 - bargaining function, 148
 - bargaining problem, 147
 - bargaining procedure, 151
 - cooperative bargaining, 147
 - global bargaining, 156
 - non-cooperative bargaining, 147
 - separate bargaining, 156
 - sequential bargaining, 156
- battle
 - sexes, 444
- Battle of the Sexes, 815, 817, 820, 837, 842
- Bayes–Nash equilibrium, 287, 288, 290, 291, 310
- Bayes–Nash incentive compatibility, 289
- Bayesian game, 286–289, 291–293, 307, 837, 838, 840, 841
 - state of, 840
- Bayesian game setting, 286, 286, 287, 288, 292, 293

- BDI, 386, 646, 677, 717, 727, 732, 737, 781
 - semantics, 653
- BDI architecture, 28
- BDI logic, *see* logic
- BDI model, 773
- bee
 - colony optimization, 455
 - dance, 455
- belief, 117, 385, 593, 597, 774
 - trust and reputation, 385
- belief merging, 258
- belief state, 519
 - generalized, 519
 - multiagent, 519
- belief-desire-intention model, 773
- belief-desire-intention architecture, 28
- belief-goal compatibility, 778
- Bellman Equation, 434
- best response, 308, 312, 816
 - in a Bayesian game, 308, 312
- bidding language, 250
- bidding rule, 288
- bipartisan set, 226
- BnB-ADOPT, 560
- body, *see* plan
- bold agent, 31
- bootstrapping, 434
- Borda’s rule, 228
- bounded max-sum, 574
- bounded rationality, 165
- BRAHMS, 603
- branching temporal logic, 649
 - CTL, 649
 - CTL*, 649
- bribery in elections, 237
- Brooks, Rodney, 21
- Bucklin’s rule, 231
- budget balance, 294, 301–304, 316

- ex ante*, 294
 - weak, 294, 302, 316
- budget-balanced VCG mechanism, 322
- business pattern, 125
- Büchi automata
 - basis for model checking, 661
 - synchronous product of, 661
- C++, 10
- cake-cutting algorithm, 248
- calculative rationality, 18, 20
- candidate, 220
- canonical auction family, 305
- capability, 710, 767
 - effectoric, 618
 - sensoric, 618
- cardinal preference, 220
- CARTAGO, 595, 612, 613, 621, 625, 630
- CASL, 666
- CASLve, 666
- cautious agents, 31
- CGS, *see* concurrent game structure
- change propagation, 734
- characteristic function, 331–338, 340–342, 344, 349, 351, 352, 362, 364, 368, 369, 373
- characteristic function game, 331
- choice rule, 293
- choice-set monotonicity, 301, 301, 302
- choreography, 110
- CI-net, *see* conditional importance network
- CL-PC, *see* logic
- Clarke tax, 299, 299
- click-through rate, 313, 314
- cloud computing, xxxvii
- coalition logic, *see* logic
 - of propositional control, *see* logic, CL-PC
- coalition structure, 330–335, 340, 345, 352–364, 366–374
- coalitional game
 - assignment game, 349
 - coalitional skill game, 351, 366
 - combinatorial optimization game, 348
 - convex game, 333, 334, 340, 341, 348
 - induced subgraph game, 348, 373
 - matching game, 349
 - monotone game, 333, 335, 340, 341
 - network flow game, 348, 349
 - simple game, 333, 335, 339, 340, 343–348
 - superadditive game, 333–336, 338, 339, 341–343, 350
 - weighted voting game, 344–348, 374
- coevolution, 460
- cognitive concept, 114, 117
 - belief, 114
 - goal, 114
 - intention, 114
- collective strategy, 650
- collective utility function, 251
- collusion, 317
 - reputation, 406
- column player, 814
- combinatorial auction, 250, 254, 304, 316, 315–320
- combinatorial domain, 242
- commitment, 105, 118, 316
 - assign, 119
 - cancel, 119
 - conditional, 118
 - create, 119
 - delegate, 119
 - detached, 118

- discharged, 118
- release, 119
- common prior, 307
- commonsense psychology, 769
- communication, 259
 - direct, 455
 - indirect, 455
- communication structure, 72
- communicative act, 106
 - commissive, 107
 - directive, 107
 - illocutionary point, 107
 - informative, 107
 - performative, 107
- comparing methodology, 735
- complementarity, 315, 315
- complexity factors, 430
- compliance, 106, 109, 113, 114, 129
- computation, 647
- computational complexity
 - model checking, 672
- computational tree logic, *see* logic
- computations, 793
- computing paradigm, xxxvi
- Concurrent METATEM System, 659
- Concurrent METATEM, 607
- concurrent game structure, *see*
 - alternating temporal logic, semantics
- conditional importance network, 251
- conditional preference network, 243
- conditional utility independence, 293, 293
- Condorcet extension, 229
- Condorcet loser, 261
- Condorcet paradox, 220
- Condorcet winner, 214, 229
- conference scenario, 78
- conflict, 770
- conformance, 102
- congestion, 463
- Congo, 605
- ConGolog, 732
- CONGOLOG, 781
- constraint network, 549
- constructive manipulation, 237
- context, *see* plan
 - organizational, 609
 - social, 609
- Contract-net protocol, 495
- contraction (axiom), 225
- control
 - decentralized, 512
- control logic, 796
- control of elections, 237
- controllable entity, 618
- conventions, 490
- convergence, 425, 427
- cooperation, 770
- cooperation modality, 650
- coordination, 103
- Copeland's rule, 215, 229
- correlation device, 523
- coverage, 731
- CP-net, *see* conditional preference network
- credit assignment, 425, 426
- CTL, *see* branching temporal logic
 - formulae, 650
- CTL, 790
- CTL*, *see* branching temporal logic,
CTL*
- CTL *, 766
- CUF, *see* collective utility function
- curse of dimensionality, 426
- daemon, 8
- DARPA
 - COORDINATORS, 531
- DARPA Knowledge Sharing Effort, 116

- DBA, 567
- DCOP, 550
- deal, 256
 - individually rational deal, 256
- debate, 191
- debugging, 729
- DEC-POMDP, 513
 - complexity, 518
 - observation independence, 519
 - transition independence, 519
 - value preserving transformation, 524
- DEC-POMDP algorithm
 - DP-JESP, 520
 - exact dynamic programming, 521
 - MBDP, 522
 - non-linear programming, 526
 - policy iteration, 525
- decision making, 443
- decision procedure, 643
- declarative achievement goal, 594, 599
- declarative goal, 598
- deduction, 14, 761
- deduction rule, 15
- deductive verification, 660
 - agents, 663
- delayed feedback, 426
- deliberation, 28, 165
- Dennett, Daniel, 769
- deontic logic, *see* logic
- deployment context, 613
- deployment diagram, 727
- design, 710
 - see also* detailed design 717
- design artifact, 696
- DESIRE, 698, 699
- desire, 653, 774
- destructive manipulation, 237
- detailed design, 717
- dialogue, 186
 - system, 188
- dilemma
 - exploration-exploitation, 434
 - Prisoner's, 444
- direct mechanism, 289, 289, 290, 294, 297, 308
- direct-revelation mechanism, 194
- discount factor, 26, 434
- dispositional trust, 393
- dispute, 186
- distance rationalizability, 231
- distributed breakout algorithm, 567
- distributed constraint handling, 547
- distributed constraint optimization problem, 550
- distributed constraint processing, 550
- distributed interpretation, 493
- distributed sensor network, 491, 496, 529
- distributed stochastic algorithm, 566
- distributed system, 101
- divisible issue, 151
- Dodgson's rule, 216, 230
- domain predicate, 16
- domain restriction, 233
- dominance
 - strict, 814
 - weak, 814
- dominant strategy, 193, 287–291, 297–299, 302, 308–310, 314
- double auction, 304
- DPOP, 561
- DSA, 566
- DSA-2, 572
- Duggan-Schwartz Theorem, 240
- Dutch auction, 306, 306, 310
- DyLog, 667
- dynamic logic, 652, *see* logic
- dynamic programming, 345, 354, 355, 368, 369, 373, 374, 436

- dynamic programming optimization protocol, 561
- early requirement, 709
- ebBP, 110
- eCAT, 730
- economic efficiency, *see* efficiency
- effectivity function, 787
- effector, 6
- efficiency, 294, 294, 295, 296, 303, 311
- egalitarianism, 251
- EIS, 612, 617, 620
- electronic institution, 611
- emergence, 737
- emergent behavior, 20
- emergent system, 736
- encapsulation, 11
- endpoint, 109
- English auction, 304, 305, 305, 306, 308, 309, 314
- environment, 425, 453, 609, 611, 700
 - accessible, 6
 - continuous, 7
 - deterministic, 6
 - discrete, 7
 - dynamic, 7
 - episodic, 6
 - inaccessible, 6
 - interface standard, 620
 - management system, 620
 - non-deterministic, 6
 - non-episodic, 6
 - static, 7
- envy-freeness, 253
- epistemic logic, *see* logic
 - dynamic, 768
- equilibrium
 - Bayes–Nash, 838, 841
 - mixed Nash, 818, 827
 - Nash, 444
 - Nash (of an extensive-form game), 831
 - point, 427
 - pure Nash, 816, 818, 827
 - subgame-perfect, 833–836
- equilibrium in dominant strategies, 287
- ergodic set, 438
- evaluation, 458
- event, 700, 701
 - and state, 75
- event selection, 600
- evolutionary
 - algorithm, 458
 - computation, 458
 - dynamics, 451
 - game theory, 430, 443, 448
 - stable strategy, 445
- ex ante* budget balance, *see* budget balance, *ex ante*
- ex post* equilibrium, 288
- executable specification, 603
- executable temporal logic, *see* temporal execution
- execution, 761
- execution as model building, 780
- expansion (axiom), 225
- expected payoff, 818
- expected reward, 26
- expected utility,
- emphex interim³¹¹
 - ex interim*, 298, 313, 314
- expert system, 12, 115
- explicit representation, 243, 249
- exploration
 - ϵ -greedy, 435
 - Boltzmann, 435
 - greedy, 434
- exposure problem, 316, 316
- extensional logic, *see* logic
- extensive-form game, 829–836

- history in, 829
 - of imperfect information, 307
 - terminal history in, 829
- factoredness, 428
- false-name bidding, 317
- false-name-proofness, 259
- feasible sets, 223
- feature-based comparison, 735
- finite action learning automata, 450
- FIPA, 56, 111, 602
 - ACL, 116
 - request interaction protocol, 111
- first-price auction, 306, 310–313, 319
- folk psychology, 769
- formal method, 642, 732
 - verification, 659
- formal specification
 - agent logics, 644
- formal verification, 659, 732
- Foundation of Intelligent Physical Agents, *see* FIPA
- frequency adjusted Q-learning, 450
- frequency of manipulability, 262
- functional system, 9
- functionally-accurate cooperation, 493
- fuzzy set, 384

- Gaia, 698, 699
- game
 - semantics, 190
- game theory, 146, 443, 448, 764, 786, 811
- games
 - Markov, 430, 432, 438
 - matrix, 443
 - repeated, 439
- GDL, 568
- generalised distributive law, 568
- generalized first-price auction (GFP), 313
- generalized second-price auction (GSP), 313, 314
- generalized Vickrey auction, *see* Groves mechanism
- generation, 458
- Gibbard-Satterthwaite theorem, 233
- global collective goal, 610
- GOAL, 781
- GOAL, 605
- goal, 594, 598, 700, 701, 705
 - achievement, 598
 - declarative, 598
 - long-term, 653
 - prioritized, 244
- goal model, 707
- GOLOG, 19, 666, 781
- goods, 249
- gradient ascent, 441
- grand coalition, 334–339, 345, 356, 373
- graph coloring problem, 554
- grid computing, xxxvi
- grounded semantics, 779
- group, 610
- group-strategyproofness, 235
- Groves mechanism, 297, 297, 298, 299, 301, 303, 308, 319

- hard constraint, 549
- higher-order representation, 672
- history of AOSE, 698
- Hoare logic, 653
- holonic manufacturing, 622, 702
- horizontal layering, 36

- i^* , 709
- I-POMDP, 514
- IDK, 727
- IIA, *see* independence of irrelevant alternatives
- IMPACT

- agent program, 665
- reasoning
 - probabilistic, 666
- IMPACT, 780
- impartial culture assumption, 263
- implementation
 - in Bayes–Nash equilibrium, 288
 - in dominant strategies, 287, 288, 290
 - in *ex post* equilibrium, 288
- implementation rule, 156
- implementation theory, 285
- imputation, 333, 343
- incentive compatibility in dominant strategies, 289
- incentive compatible, 195
- independence of irrelevant alternatives (axiom), 221, 224
- independence of the common utility pace (axiom), 252
- independent private value (IPV), 307, 308, 309, 319
- individual, 219
- individual rational, 149
- individual rationality, 301, 333, 343
 - ex interim*, 294, 304
 - ex post*, 295, 302, 316
- individually rational deal, 256
- indivisible issue, 159
- information attitude, 770
- INGENIAS, 698, 699, 730
- InstAL, 78
- institution, 73, 131, 701, 717
 - electronic, 611
- institutional modeling, 78
- integer partition, 353, 354, 357–359, 363
- integer program, 317
- integration testing, 729
- intelligence, 103
- intelligent agent, 3
- intended means, 595
- intensional logic, *see* logic
- intention, 117, 595, 653
- intention filter, 771
- intention logic, *see* logic, 770
- intention side effects, 771
- intentional stance, 769
- intentional system, 769
- intentions, 28, 774
- interaction protocol, *see* protocol, 712
- interaction structure, 70
- interaction testing, 729
- interleaved strategy, 665
- intermodal consistency, 777
- interoperation, 102
- interpreted system, 671, 672
- InteRRaP architecture, 40
- invocation condition, 774
- IRMA, 774
- irresoluteness, 239
- Isabelle, 660

- JACK, 727
- JADE, 123, 717, 727, 728, 730
 - behavior, 123
- JADEx, 601
- Japanese auction, 305, 305, 307, 308
- Java, 10
- Java Agent Development Framework,
 - see* JADE
- joint action space, 426
- judgment aggregation, 258
- JUnit, 729

- KARO, 646
- Kemeny’s rule, 222, 231
- knowledge
 - de dicto*, 768
 - de re*, 768
- knowledge precondition, 768

- Knowledge Query and Manipulation Language, *see* KQML
- knowledge-producing action, 768
- KQML, 116
- Kripke model, *see* Kripke structure, 765
- Kripke semantics, 767
- Kripke structure, 647
- kth*-price auction, 306

- language, 761
 - implementation, 780–782
 - programming, 778
 - specification, 778–780
 - verification, 778, 782–785
- layered architecture, 36
- learnability, 428
- learning
 - automata, 449
 - automaton, 430
 - cross, 431
 - joint action, 439
 - problem, 425
- lenient
 - FAQ-learning, 450
 - Q-learning, 449
- level
 - abstraction, 613
 - basic, 613
 - interaction-mediation, 613
- leximin ordering, 252
- linear program, 317, 318
 - relaxation, 318
- linear temporal logic, 646, *see* temporal logic, linear
- linear-time temporal logic, *see* logic, LTL
- link, 610
- locally envy free, 314
- logic, 761–799
 - alternating-time temporal logic, 786
 - ATL, 790–794
 - ATL, 786
 - BDI, 665, 773–777, 784
 - CL-PC, 791, 796–797
 - coalition, 786–789, 794
 - complexity, 762
 - computational tree, 766
 - control, 791
 - CTL, 766, 791
 - deontic, 785, 798
 - dynamic, 766
 - epistemic, 764
 - expressiveness, 762
 - extensional, 763
 - intensional, 763
 - intention, 770–773
 - LTL, 765, 766, 783
 - modal, 763, 766, 771, 779, 780, 782, 784, 786, 798, 799
 - of knowledge, 645
 - temporal, 782
- logic program
 - annotated, 666
- logic programming
 - abductive, 666
- LTL, *see* linear temporal logic formulae, 649
- LTL*, *see* linear temporal logic

- MABLE, 784
- maintenance goals, 598
- majority rule, 220
- manipulability, 233
- manipulation, 237
- manipulation problem, 236
- marginal contribution net (MC-net), 349, 350, 364, 373
- Markov assumption, 26
- Markov decision process, 25

- Markov property, 433
- MAS-CommonKADS, 698, 699, 709
- MaSE, 698, 699, 727
- matching, 258
- Matching Pennies, 444, 817, 819
- MAUDE System, 675
- max-product, 568
- max-sum, 568
- maximin rule, 229
- maximum gain messaging, 567
- maximum likelihood approach, 222, 247
- maxmin fairness, 295, 296
- MB-DPOP, 564
- MCAPL, 677
- MCMAS, 674
- MDP, 432–434, 437, 512
- meaning, 118, 125, 128
 - message, 104
- means-ends reasoning, 28
- mechanism, 194, 287, 304–306, 308, 311, 313, 314, 316
 - Groves, *see* Groves mechanism
 - quasilinear, 292, 292, 293–297, 299, 306
 - direct, 293, 297, 299
 - Vickrey–Clarke–Groves (VCG), *see* Vickrey–Clarke–Groves (VCG) mechanism
- mechanism design, 232, 253, 258, 285, 285, 304, 306, 307
- mechanism implementation, 194
- median-rank dictator, 265
- median-voter rule, 234
- meeting scheduling, 552
- mental state, 764
- MESSAGE, 698, 699
- message, 102, 700
- message sequence chart, 111
- meta-model
 - of CARTAGO, 614
 - of EIS, 620
- MetateM, 19
- METATEM, 780, 781
- method engineering, 739
- methodology, 127, 696
- MGM, 567
- MGM-2, 572
- minimal covering set, 226
- mission, 610
- MOCHA, 791
- modal logic, *see* logic
 - KD, 654
 - KD45, 653
 - knowledge, 645
 - S5, 645, 654
 - semantics, *see* Kripke structure
- modal operator, *see* modality
- modality, 771, 772, 775, 776, 781, 784, 785, 787, 790, 791, 794, 795
 - cooperation, 787, 791, 794, 795
 - deontic, 781
 - temporal, 785
- model, 696
- model building, 780
- model checker, 643
- model checking, 661, 732, 784
 - agent programs, 676
 - automata-theoretic view, 661
 - complexity, *see* computational complexity, model checking
 - JAVA PATHFINDER, 663
 - on-the-fly, 661
- model-driven development, 728
- modular interpreted system, 671
- modular programming language, 602
- MOISE, 610
- Moise+, 736
- monotonicity (axiom), 262
- moving-knife procedure, 248

- MSC, *see* message sequence chart
 MTDP, 514
 multiagent
 formulations, 437
 learning, 424, 460
 reinforcement learning, 432
 system, 448
 multiagent communication, 494
 multiagent control
 definition, 486
 multiagent organization, 51, 55
 multiagent planning
 continuous, 529
 decision-theoretic, 512
 definition, 486
 execution, 527
 hierarchical task network, 510
 multiagent plan coordination
 problem, 497
 partial global planning, 529
 partial-order causal-link, 501
 plan combination search, 499
 plan modification, 505
 plan monitoring, 527
 plan-space search, 499
 recovery/repair, 528
 state-space search, 498
 team-oriented, 510
 multiagent resource allocation, 247
 multiagent system, xxxv, 53
 relevance of, xxxvi
 variety, xxxvi
Multi-Agent Programming Contest,
 619, 620, 631
 multiple-election paradox, 243
 mutation, 446
 MYCIN, 13

 Nanson's rule, 230
 Nash equilibrium, 193
 Nash product, 252

 Nash-Q, 440
 necessary winner problem, 240
 negotiation, 143
 decision function, 161
 reputation, 410
 trade-off, 158
 trust, 410
 negotiation agenda, 156, 161
 endogenous, 160
 exogenous, 160
 optimal, 164
 neural network, 457
 neuro-evolutionary
 algorithms, 430
 approach, 457
 neutrality (axiom), 227
 no learning, 768
 no negative externalities, 301, 301, 302
 no single-agent effect, 302, 302, 303
 non-determinism, 6
 non-dictatorship (axiom), 221, 224,
 233
 non-imposition (axiom), 233, 238, 261
 norm, 73, 132, 410, 596, 610, 701
 reputation, 410
 social, 596
 trust, 410
 normal-form game, 812–826
 normative attitude, 770
 normative structure, 71
 notation, 696
 NuSMV, 677

 O-MaSE, 698, 705, 709
 obligation, 77, 596, 610, 770
 occurrent trust, 386
 OCL, 699, 734
 online auction, 309
 ontology, 709
 open system, 717
 open-outcry auction, 306

- OperA, 65, 736
- operator, 765, 772, 775
 - ability, 786
 - branching-time, 766
 - dynamic, 767
 - epistemic, 767
 - for until, 765
 - K_i , 764, 794
 - linear-time, 766
 - modal, 771, 779, 786, 787
 - necessity, 765, 767
 - temporal, 766
 - temporal precedence, 772
 - tense, 766
- OperettA, 611
- 2OPL, 611
- opportunity, 767
- OR-language, 250
- orchestration, 110
- order statistic, 312, 312
- ordinal preference, 220
- organization, 51, 73, 131, 596
 - as agent, 59
 - as institution, 58
 - as structure, 56
 - design, 491
 - emergent, 87
 - meta-level, 530
 - ORGANIZATIONSEARCH
 - algorithm, 492
 - reputation, 411
 - structuring, 490
 - trust, 411
- organization concept, 64
- organization modeling, 65
- organizational adaptation, 86
- organizations, 609
- overcommitment, 773
- P-Goal, 772
- package deal procedure, 156
- Pareto optimality, 444
 - axiom, 221, 224, 255
- partial global planning, 529
- partition function game, 331
- PASSI, 698, 699, 709, 730
- passive service provider, 12
- path integration, 455
- pattern, 124
 - enactment, 125
- payment rule, 288, 293, 299
- payoff function, 812, 813, 829
- payoff matrix, 813
- PDT, 727, 730
- peer-to-peer computing, xxxvi
- percept, 700
- perfect information, 794
- perfect recall, 767
- permission, 77, 610, 770
- persistent goal, 772
- pervasive computing, xxxvi
- Petri net, 109, 717
- pheromone, 454
- Pigou-Dalton principle (axiom), 253
- pivot mechanism, *see* Groves mechanism
- plan, 595, 599
 - body of a, 599
 - context of a, 599
 - trigger of a, 599
- plan library, 774
- planning
 - partial order, 500
- planning domain definition language, 605
- plurality rule, 214, 228
- plurality with runoff, 261
- policy, 26, 432, 515
 - finite-state controller, 515, 522
 - stochastic, 516
 - tree, 515, 519

- POMDP, 512
 - decentralized, 513
- position auction, 312–314, 320
 - generalized first-price, *see* generalized first-price auction
 - generalized second-price, *see* generalized second-price auction
- positional scoring rule, *see* scoring rule
- possible winner problem, 240
- postcondition, 9
- power, 77
- practical reasoning, 28, 774
- precondition, 6, 9
- preference, 220, *see also* social
 - preference function, 286, 291, 292, 307
 - cardinal preference, 220
 - ordinal preference, 220
 - quasilinear preference, 253
 - single-caved preference, 262
 - value-restricted preference, 235
- preference aggregation, 219
- preference profile, 291
- preference representation language, 243, 249
- preferences, 286, 288, 290–292
- price of anarchy, 296
 - minimization, 296
- prioritized goal, 244
- Prisoner's Dilemma, 147, 813, 814
- privacy, 293
- pro-attitude, 770
- proactiveness, 8
- proactive, 700
- probability distribution, 384
- procedural knowledge, 19
- procedural reasoning system, 774
- process, 696
- process algebra, 109
- profile, 220, *see also* profile of preferences
- profile of preferences, 220
- program
 - environment, 628
- program verification, 662
- program-based preference representation, 251
- programming
 - agent-oriented, 621
 - organization-oriented, 621
- PROLOG, 774
- Prometheus, 698, 699, 730
- Prometheus design tool, 730
- proof system, 643
- proportionality, 248
- propositional logic
 - dynamic, 652
- Protégé, 709
- protocol, 101, 130, 700
 - aggregation, 129
 - argumentation protocol, 185
 - foreign exchange, 102
 - GDSN, 102
 - HITSP, 102
 - HL7, 102
 - refinement, 129
 - requirements, 102
 - RosettaNet, 102
 - specifications, 102
 - standard protocol, 102
 - supply chain, 102
 - TWIST, 102
- proxy bidding, 309
- PRS, 774
- pseudonymous bidding, 317
- PTK, 728
- PVS, 666
- Q-learning, 427, 435

- quasilinear mechanism, *see*
 - mechanism, quasilinear
- quasilinear preference, 253, 291, 292, 307
- quasilinear utility function, 291, 303, 304

- random dictator, 238
- ranked pairs (voting rule), 230
- rating, 405
- rational agent, 764
- rational balance, 30, 770
- rationality, 301
- reactive, 700
- reactive module, 672
- REACTIVE MODULES, 791
- reactiveness, 8
- realizability, 778
- reasoning
 - probabilistic, 666
- reasoning cycle, 600
- reasoning rule, 598
- regimentation, 596
- regret minimization, 449, 450
- regulation, 60
- reinforcement (axiom), 228
- reinforcement learning, 425, 427, 430, 432, 435, 443
- relaxation method, 318
- reliability, 387
- replicator
 - dynamics, 446
 - equations, 443, 460
- representation, 458
- reputation, 388, 390, 396
 - argumentation, 408
 - as source of trust, 404
 - collusion, 406
 - communicated reputation, 400
 - dynamic personality, 406
 - inherited reputation, 400
 - pitfalls of using reputation, 405
 - reputation model, 402
 - reputation value, 382
 - social order, 405
 - whitewashing, 406
- reputation evaluation, 398
- reputation representation, 383
- requirement, 704
- resoluteness, 227
- resource allocation, 247
- revelation principle, 195, 232, 288–291, 319
- revenue maximization, 295
- reward, 25
 - cumulative, 433
 - difference, 429, 465
 - immediate, 434
 - local, 429
 - structure, 427, 465
 - system, 428
- risk attitude, 310
 - risk neutral, 293, 310, 311
- risk neutrality, 292
- ROADMAP, 736
- role, 102, 110, 130, 610, 705
- role skeleton, *see* role
- row player, 813
- run-time verification, 663
- RUP, 699

- safety case, 733
- Santa Claus problem, 252
- SARSA, 435
- scenario, 705
- SCF, *see* social choice function
- scheme, 610
- scoring rule, 227
- SDS, *see* social decision scheme
- Seagent, 730
- sealed-bid auction, 305, 306, 306, 307, 308, 310, 311

- second-price auction, 306, 308–311, 319
 selection, 446, 458
 self-interested, 192
 semantics, 761, 763, 765
 fixed-point, 666
 semi-supervised learning, 432
 sensitivity, 428
 sequential decision making, 433
 sequential voting, 242, 245
 service engagement, 118
 service provider, 12
 service-oriented computing, xxxvii
 set packing problem, 318
 skill bid, 317
 simple exchange, 303, 303
 simultaneous ascending auction, 316
 single transferable vote, 214, 231
 single-caved preference, 262
 single-good auction, 304
 single-peaked preferences, 234
 single-sided auction, 302, 305
 situated, 700
 situated automata, 20, 782
 situation, 776
 situation calculus, 19, 666
 Slater's rule, 222, 231
 social, 700
 social ability, 8
 social choice, 789
 social choice function, 194, 223, 287–291, 297, 298, 302
 social commitment, *see* commitment, 701
 social control, 382
 social decision scheme, 238
 social laws, 489
 social level, 596
 social plan, 596
 social preference function, 222
 social state, 128
 social structure, 68
 social welfare function, 219, 220
 social welfare maximization, 294
 social welfare ordering, 252
 SODA, 736
 soft constraint, 549
 soft security, 382
 software daemon, 8
 software evolution, 734
 software maintenance, 734
 solution concept, 287, 329, 335, 337, 338, 341–343, 349, 814
 Banzhaf index, 337, 338, 342, 344, 345
 bargaining set, 342, 343
 core, 338–343, 345, 346, 348–350, 372–374
 kernel, 342, 343
 least core, 341–343, 346, 349
 nucleolus, 342, 343, 346, 349, 374
 Shapley value, 335–337, 341, 342, 344, 345, 348, 350, 372, 373
 specification, 14, 761
 speech act, *see* communicative act
 SPEM, 739
 sphere of influence, 619
 SPIN System, 662, 675, 677
 sponsored search auction, *see* position auction
 SQL, 605
 standardization, 738
 state machine, 109
 state space, 426
 statechart, 109
 stigmergy, 453
 strategic structure of environment, 764
 strategy, 192, 791, 793, 812
 in an extensive-form game, 831
 mixed, 818

- pure, 813, 818
- strictly dominant, 814, 827
- strictly dominated, 815
- support of (mixed), 818
- weakly dominant, 814, 827
- weakly dominated, 815
- strategy profile, 192
 - mixed, 818
- strategyproof, 195, *see* incentive
 - compatibility in dominant strategies
- strategyproofness, 233
- STRATUM, 736
- strict budget balance, *see* budget balance
- strict Pareto efficiency, 294
- strong retentiveness, 226
- structural subset, 776
- structural superset, 776
- STV, *see* single transferable vote
- subadditive valuation function, *see* substitutes
- subgame, 832
- substitutes, 315
 - partial, 315
 - strict, 315
- subsumption architecture, 21
- subsumption hierarchy, 21
- subworld, 776
- sum-product, 568
- superadditive valuation function, *see* complementarity
- swarm intelligence, 430, 451
- SWF, *see* social welfare function
- SWO, *see* social welfare ordering
- Sybil attack, 407
- symbolic AI, 14
- synergy coalition group (SCG), 350
- system
 - dynamics, 425
 - performance, 462
 - system overview diagram, 716
 - system testing, 729
- TAOM4E, 727
- target tracking, 553
- task accomplishing behavior, 21
- temporal difference, 427, 435
- temporal execution
 - CHRONOLOG, 658
 - METATEM, 658, 665
 - multiagent systems, 659
 - TEMPLOG, 658
- temporal logic, 19, *see* logic
 - knowledge, 645
 - linear, 648
- temporal logic programming, *see* temporal execution
- temporal specification
 - deadlock freedom, 648
 - direct execution, *see* temporal execution
 - fairness, 648
 - implementation, 656
 - liveness, 648
 - reachability, 648
 - refinement, 657
 - safety, 648
 - synthesis, 657
- testing, 729
- theorem prover
 - semi-automated, 660
- theorem proving, 14, 732
- theory of mind, 769
- threat strategy, 150
- time points, 775
- top cycle, 225
- total unimodularity, 318
- TOURINGMACHINE architecture, 38
- tournament equilibrium set, 226
- tractability, 295, 296

- trade-off, 158
- transferable utility, 292
- transferable utility game, 330, 331
- transition relation
 - serial, 647
- transition system
 - labeled, 650
 - unlabeled, 647
- trigger, *see* plan
- Tropos, 699, 730
- trust
 - argumentation, 408
 - definition, 388
 - trust value, 382
- trust belief, 395
- trust decision, 388, 390
- trust evaluation, 388
 - image, 388
- trust representation, 383
- trustee, 388
- trustor, 388
- truth-telling, 297
- truthful, 288, 289, 289, 290, 291, 294, 297–299, 301, 302, 308, 309, 314, 316, 319
- turn-based synchronous system, 792
- type, 286–288, 290, 291, 293, 294, 307, 311

- ubiquitous computing, xxxvi
- UML, 699, 709
- UML sequence diagram, 109
- uncovered set, 226
- undercommitment, 773
- uniform strategy, 796
- unit testing, 729
- utilitarianism, 251
- utility function, 287, 290–293, 297, 303, 304, 306, 307, 310
- utility vector, 251

- valuation, 293, 305, 307, 308, 310–313, 315–317
- valuation function, 249, 297, 315
 - non-additive, 315
 - subadditive, *see* substitutes
 - superadditive, *see* complementarity
- value
 - independent private, *see* independent private value
- value function, 433
- value iteration, 26
- value-restricted preference, 235
- VCG mechanism, *see* Vickrey–Clarke–Groves mechanism
- verification, 761, 782
 - algorithmic, 660
 - axiomatic, 782–784
 - formal verification, 659
 - model checking, 783–786
 - run-time, 663
 - semantic, 783–786
- vertical layering, 36
- veto player, 340, 345
- veto rule, *see* anti-plurality rule
- Vickrey auction, *see* second-price auction
- Vickrey–Clarke–Groves (VCG) mechanism, 299, 299, 301–303, 308, 314–316, 319
- voter, 219
- voting rule, 227

- WARP, *see* weak axiom of revealed preference
- weak axiom of revealed preference, 224
- weak budget balance, *see* budget balance, weak
- weak Condorcet winner, 264
- weighted goals, 249

welfare economics, 247, 253

winner determination problem
 combinatorial auction, 317

world, 775

WS-CDL, 110

XOR-language, 250

Young's rule, 230

zero independence (axiom), 252

zero-sum game, 824–826

 value of, 826